

[ENG]

Failure to read, thoroughly understand, and follow all instructions can result in serious personal injury, damage to equipment, or voiding of factory warranty.


INSTRUCTIONS OF SAFETY AND WARNINGS:

- 1. Make sure that the mounting surface is strong enough to handle a mounted product and equipment
- 2. DO NOT EXCEED THE MAXIMUM LISTED WEIGHT CAPACITY
- 3. Always use an assistant or a mechanical lifting device to safely lift and position heavy products
- 4. Tighten screws firmly, but do not over tighten. Over tightening can cause product damage that greatly reduce the holding power
- 5. Keep a clear area and distance from moving parts when using the product
- 6. Use only as intended. Never stand, hang or climb on the product
- 7. This product is intended for indoor use only.
- 8. Any attempts to reconstruct the construction aren't allowed
- 9. This product may contain small items that could be a choking hazard if swallowed. Keep children away unless the product is intended for their use and all instructions and manuals are fully reviewed and understood by them
- 10. Check that the product is secure and safe to use at regular intervals (at least every three months)

*Instructions are provided by HyperWork Vietnam, if you discover errors
Please contact us via website <https://hyperwork.vn/>

Instruction Manual
HYPERWORK T9 PRO III

HPW – PMA01




Weight Capacity	VESA Compatible	Fit Screen Size
2~30kg 4.4~66lbs	75×75,100×100,100×200,200×100,200×200	24 inch ~ 57 inch


8

9


10




A (x1)




B (x1)




C (x1)



D (x1)




E (x1)



F (x1)



G (x2)




H (x2)



I (x1)




J (x2)
M5x8



K (x1)
M5x35



L (x1)
M5x35




M (x1)
M8x160



N (x1)
4mm



O (x1)
6mm (Long Type)



P (x1)
8-10mm



Q (x8)
M5x12



R (x8)
M5



M-A (x4)
M4x12



M-B (x4)
M6x12



M-C (x4)
M8x12




M-D (x4)
D5



M-E (x4)
D8


1 CLAMP INSTALLATION

for 12-45mm
thickness desks




GROMMET INSTALLATION


for 12-50mm
thickness desks
with Ø10-60mm
installation holes





2




3




4



5




6




7


VESA 75x75 100x100




VESA 200x100



VESA 100x200



VESA 200x200



[VIE]

Việc không đọc, hiểu kỹ và làm theo tất cả các hướng dẫn có thể dẫn đến thương tích cá nhân nghiêm trọng, hư hỏng thiết bị hoặc làm mất hiệu lực bảo hành


HƯỚNG DẪN AN TOÀN VÀ CẢNH BÁO:

- 1. Đảm bảo rằng bề mặt lắp đặt đủ chắc chắn để có thể nâng đỡ Arm và màn hình được gắn
- 2. KHÔNG TREO MÀN HÌNH QUÁ TẢI TRỌNG CHO PHÉP
- 3. Nên có người hỗ trợ trong quá trình lắp đặt
- 4. Siết chặt các vít nhưng không siết quá chặt. Siết quá chặt có thể gây hư hỏng, giảm sức giữ màn hình
- 5. Giữ khu vực thông thoáng và khoảng cách với các bộ phận chuyển động khi sử dụng Arm
- 6. Không đứng, trèo lên Arm màn hình
- 7. Sản phẩm này chỉ dành cho sử dụng trong nhà
- 8. Khi lắp đặt sản phẩm, nên lưu đặt các phụ kiện như ốc, vít tránh xa tầm tay trẻ em, vật nhỏ có thể gây nghẹt thở nếu nuốt phải
- 9. Kiểm tra xem Arm có chắc chắn và an toàn để sử dụng định kỳ không (ít nhất ba tháng một lần)

*Tài liệu hướng dẫn được cung cấp bởi HyperWork Việt Nam, nếu bạn phát hiện ra sai sót vui lòng liên hệ chúng tôi qua website <https://hyperwork.vn/>

Hướng dẫn lắp đặt
HYPERWORK T9 PRO III

HPW – PMA01



Tải trọng cho phép

2~30kg | 4.4~66lbs

Chuẩn VESA

75×75,100×100,100×200,200×100,200×200


Hỗ trợ màn hình

24 inch ~ 57 inch


8

9


10




A (x1)




B (x1)




C (x1)



D (x1)




E (x1)



F (x1)



G (x2)




H (x2)



I (x1)




J (x2)
M5x8



K (x1)
M5x35



L (x1)
M5x35




M (x1)
M8x160



N (x1)
4mm



O (x1)
6mm (Long Type)



P (x1)
8-10mm



Q (x8)
M5x12



R (x8)
M5



M-A (x4)
M4x12



M-B (x4)
M6x12




M-C (x4)
M8x12



M-D (x4)
D5



M-E (x4)
D8



Q


M

C

E


LẮP ĐẶT KIỂU KẸP BÀN

Cho bàn có độ dày từ 12~45mm



LẮP ĐẶT KIỂU XUYÊN LỖ

Cho bàn có độ dày từ 12~50mm & lỗ ϕ 10~60mm




Q

N

C

F


2



B

P


3



A

P

4




$\pm 90^\circ$

360°

P

5




D1

D2

D3

D

6



D2


I

K

N

7

VESA 75x75 100x100



15mm

75mm

100mm


D3

TOP

M-A

M-D

VESA 200x100



H


G

O

R


100mm

200mm



TOP

VESA 100x200



H


G

O

R


200mm

100mm



200mm

VESA 200x200



H


G

O

R

200mm

200mm



M-B

M-C

M-E